

Low-odor environment-friendly Additive Technical Data Sheet

SZ0325-2022-20 V2

GreenThinking®AG60

Description: AG60 is a comprehensive accelerator that is a synergistic combination of zinc dithiophosphate, benzothiazole, and sulfenamide accelerators, with low odor. Has a strong disinfection activity, rapid disinfection and no frost spray special accelerator. Rubber industry, especially suitable for rubber overlapping and profile products, etc.

Applications: It is suitable for rapid sulfur vulcanization system, especially for extrusion and profile products, such as sealing strips and rubber hoses.

Key benefits:

- Environmental protection: it does not contain secondary amines that can form nitroso groups, so it will not produce nitrosamines; the product has low odor,
- Avoid the phenomenon of product vomiting frost;
- > Granulated product, easy to add, no dust pollution;
- > Quick mixing, easy to disperse, high processing safety, and prevent scorching;
- After vulcanization, the rubber compound has high cross-linking density and low compression set;
- A single comprehensive accelerator that is easy to apply, reducing the deviation caused by mixing multiple raw materials.

Typical properties & Formulation Recommendations:

Typical properties:

Test item	Unit	Test results
Appearance		Gray Grains
Filter screen	Number of	100
	items	
Active content	%	80
Sulfur content	%	16.5
Density $(20^{\circ} C)$	g/cm3	1.23

Formulation Recommendations :

Name of raw material	Extruded product (unit phr)	Other products (unit phr)
EPDM	100	100
AG 60	4.0-7.0	3.0-6.0
Sulfur	0.8-1.5	0.8-1.5

Packing: Carton lined with PE bag, net weight 25KG per carton; 600 kg/pallet.

Storage: Sealed and stored in a cool, dry, well-ventilated place, the recommended shelf life of the product is 1 year.



Contact:

Plant Address: Baishou Road, North District of Xuan Zhou Economic Development Zone, Xuan Cheng City Anhui Province, China.

Commercial Address: Room 1606-1608, Boda Commercial Buildings, No. 11 Puhuitang Road Xuhui District, Shanghai, China 200030 Tel: +86 21 6487 9251 Fax: +86 215106 2693 E-mail: kevenwang@sanezen.com

Warning to the users:

The information contained in this document is given in good faith based on our current knowledge. It is only an indication and is in no way binding, particularly as regards infringement of or prejudice to third party rights through the use of our products. Sanezen guarantees that its products comply with its sales specifications. This information must on no account be used as a substitute for necessary prior tests which alone can ensure that a product is suitable for given use. Determination of the suitability of product for the uses and applications contemplated by users and others shall be the sole responsibility of users. Users are responsible for ensuring compliance with local legislation and for obtaining the necessary certifications and authorisations. Users are requested to check that they are in possession of the latest version of this document and Sanezen is at their disposal to supply any additional information.